(FILE 'HOME' ENTERED AT 11:36:22 ON 23 DEC 2004)

INDEX 'ABI-INFORM, ADISCTI, ADISINSIGHT, ADISNEWS, AQUALINE, AQUASCI, BIOBUSINESS, BIOCOMMERCE, BIOENG, BIOSIS, BIOTECHNO, CANCERLIT, CAPLUS, CBNB, CEN, CHEMLIST, CIN, CONFSCI, CSNB, DISSABS, EMBAL, EMBASE, ENERGY, ENVIROENG, ESBIOBASE, FEDRIP, FOMAD, ...' ENTERED AT 11:36:38 ON 23 DEC 2004

SEA HYDROGEN PEROXIDE AND (CANCER? OR TUMOR? OR TUMOUR?)

```
24
       FILE ABI-INFORM
        FILE ADISCTI
  13
        FILE ADISINSIGHT
  11
        FILE ADISNEWS
   5
   3
        FILE AQUALINE
   4
        FILE AQUASCI
  23
        FILE BIOBUSINESS
   1
        FILE BIOCOMMERCE
        FILE BIOENG
  33
2927
        FILE BIOSIS
 847
        FILE BIOTECHNO
        FILE CANCERLIT
2133
        FILE CAPLUS
2226
        FILE CBNB
  10
        FILE CEN
  18
        FILE CHEMLIST
  12
        FILE CIN
   9
        FILE CONFSCI
   9
        FILE CSNB
   5
  90
        FILE DISSABS
        FILE EMBAL
  25
        FILE EMBASE
2369
        FILE ENERGY
  88
        FILE ENVIROENG
   1
  984
        FILE ESBIOBASE
        FILE FEDRIP
  85
        FILE FROSTI
  43
        FILE HEALSAFE
        FILE HSDB
 191
 159
        FILE IFIPAT
        FILE INIS
  76
  . 7
        FILE IPA
 276
        FILE JICST-EPLUS
        FILE KOSMET
  14
 506
        FILE LIFESCI
        FILE MEDLINE
2929
        FILE MSDS-CCOHS
 587
        FILE MSDS-OHS
8346
        FILE NAPRALERT
  17
  70
        FILE NIOSHTIC
        FILE NLDB
 104
        FILE NTIS
  21
  589
        FILE PASCAL
        FILE POLLUAB
  200
        FILE PROMT
   2
        FILE RTECS
2762
        FILE SCISEARCH
5206
        FILE TOXCENTER
10652
        FILE USPATFULL
```

779

3

FILE USPAT2 FILE WATER

13 / FILE DDFB

```
FILE DDFU
481
 84 FILE DGENE
 13
    FILE DRUGB
615
    FILE DRUGU
    FILE PHARMAML
  1
    FILE PHIN
  9
    FILE BABS
 73
 11 FILE DIOGENES
 5 FILE IMSRESEARCH
 22 FILE INVESTEXT
  1 FILE PHAR
  2 FILE RDISCLOSURE
  2 FILE SYNTHLINE
  QUE HYDROGEN PEROXIDE AND (CANCER? OR TUMOR? OR TUMOUR?)
   SEA L1 AND (ADMINIS? OR INJECT? OR INTRAVENOUS? OR INTRAARTER?
 15 FILE ABI-INFORM
    FILE ADISCTI
  3
  8 FILE ADISINSIGHT
    FILE ADISNEWS
  3
    FILE AQUALINE
  1
  5
    FILE BIOBUSINESS
     FILE BIOENG
  6
     FILE BIOSIS
228
     FILE BIOTECHNO
 81
232
      FILE CANCERLIT
      FILE CAPLUS
240
  1
      FILE CBNB
      FILE CEN
 12
  8 FILE CHEMLIST
      FILE CIN
  1
      FILE CSNB
 19
      FILE DISSABS
  1
      FILE EMBAL
      FILE EMBASE
379
 13
      FILE ENERGY
      FILE ENVIROENG
  1
 78
      FILE ESBIOBASE
      FILE FEDRIP
 14
      FILE FROSTI
  1
      FILE HEALSAFE
  3
      FILE HSDB
 189
 96
      FILE IFIPAT
      FILE INIS
  8
      FILE IPA
  3
 26
      FILE JICST-EPLUS
      FILE LIFESCI
 40
313
      FILE MEDLINE
      FILE MSDS-CCOHS
346
      FILE MSDS-OHS
8146
      FILE NAPRALERT
  1
      FILE NIOSHTIC
 16
      FILE NLDB
 40
      FILE NTIS
  2
      FILE PASCAL
 77
  3
      FILE POLLUAB
      FILE PROMT
 93
      FILE RTECS
  2
      FILE SCISEARCH
304
      FILE TOXCENTER
559
      FILE USPATFULL
```

L1

9492 692

1

FILE USPAT2 FILE DDFB

```
FILE DDFU
60
12
     FILE DGENE
     FILE DRUGB
 1
     FILE DRUGU
105
     FILE PHARMAML
 1
     FILE PHIN
 4
 6
     FILE BABS
     FILE DIOGENES
     FILE IMSRESEARCH
     FILE INVESTEXT
  QUE L1 AND (ADMINIS? OR INJECT? OR INTRAVENOUS? OR INTRAARTER?
  OR SUBCUTAN? OR INTRAMUSC? OR IRRIGAT? OR LAVAG?)
  SEA L2 AND (ADMINIS? OR INJECT? OR INTRAVENOUS? OR INTRAARTER?
     FILE ABI-INFORM
     FILE ADISCTI
 1
     FILE ADISINSIGHT
     FILE BIOBUSINESS
     FILE BIOENG
 38
     FILE BIOSIS
 13
     FILE BIOTECHNO
 49
     FILE CANCERLIT
 61
     FILE CAPLUS
     FILE CEN
     FILE CSNB
     FILE DISSABS
50
     FILE EMBASE
     FILE ENERGY
 3
     FILE ESBIOBASE
 17
     FILE FROSTI
 1
     FILE HSDB
 6
     FILE IFIPAT
 13
     FILE INIS
 3
     FILE JICST-EPLUS
 8
     FILE LIFESCI
 7
     FILE MEDLINE
 44
     FILE MSDS-OHS
 40
     FILE NIOSHTIC
 5
     FILE NLDB
 6
     FILE NTIS
 1
     FILE PASCAL
19
     FILE PROMT
19
     FILE SCISEARCH
37
88
     FILE TOXCENTER
     FILE USPATFULL
125
     FILE USPAT2
 8
     FILE DDFB
 1
     FILE DDFU
 9
     FILE DRUGB
 1
 16
     FILE DRUGU
     FILE BABS
 1
 2
     FILE DIOGENES
     FILE IMSRESEARCH
  QUE L2 AND (ADMINIS? OR INJECT? OR INTRAVENOUS? OR INTRAARTER?
  OR SUBCUTAN? OR INTRAMUSC? OR IRRIGAT? OR LAVAG?) (15A)
   (HYDROGEN PEROXIDE OR H202 OR H".SUB."20".SUB."2)
```

FILE 'BIOSIS, CANCERLIT, CAPLUS, EMBASE, JICST-EPLUS, LIFESCI, MEDLINE, SCISEARCH, TOXCENTER, DRUGU' ENTERED AT 11:46:03 ON 23 DEC 2004 398 SEA L3

152 DUP REM L4 (246 DUPLICATES REMOVED) D 1- BIB, ABS

L2

L3

L4

L5

- L5 ANSWER 104 OF 152 JICST-EPlus COPYRIGHT 2004 JST on STN
- AN 900022049 JICST-EPlus
- TI An experimental study of the solubility of epithelium tissue by sodium hypochlorite for conservative endodontic therapy of apical radicular cysts. Adult rat skin.
- AU IGARASHI MASARU; WATANABE MANABU; MATSUMURA YUKO; YAMAGUCHI EMI; WAKIYA REIJI; IIJIMA TADASHI; SAKAZUME MICHINORI; YOSHIZAKI SADAO; KAWASAKI KOICHI
- CS Nippon Dental Univ., Faculty of Dentistry at Niigata
- Nippon Shika Hozongaku Zasshi (Japanese Journal of Conservative Dentistry), (1989) vol. 32, no. 5, pp. 1466-1472. Journal Code: Y0096A (Fig. 7, Tbl. 2, Ref. 31) ISSN: 0387-2343
- CY Japan
- DT Journal; Article
- LA Japanese
- STA New
- The ultimate success of root canal therapy of pulpoperiapical cysts AB depends on elimination of the cystic fluid-filled cavity and epithelial lining surrounded by granulomatous tissue. To attain the latter end, a chemical means should be employed. The best solvent agent used for destruction of the epithelial lining and subepithelial hemorrhage may be sodium hypochlorite solution as suggested by Kawasaki et al. (1981, 1984, 1986). The purpose of this study was to determine which of the following irrigants demonstrate the best solvent action on tissue. Five polyethylene tubes (15mm in diameter) were fixed to the shaved abdominal skin of adult rats. Application of irrigants was now performed with one of the following combinations of solutions: A: 0.5ml of 5-6% sodium hypochlorite, followed by 0.5ml of 3% hydrogen peroxide, (using alternate irrigation with 5ml/min). B: 5ml of 5-6% sodium hypochlorite, C: 5ml of 5-6% sodium hypochlorite, followed by stirring with a glass stick, D: 5ml of 5-6% sodium hypochlorite, followed by the same solution with 5ml/min, E: 5ml of 3% hydrogen peroxide. The effectiveness of the solubility of tissue was estimated by macroscopic bleeding and histological findings. The results obtained were as follows: 1. The initial average time of bleeding of the skin was different in each combination; A: 6.4min., B: 14.2min., C: 10.9min., D: 10.1min., E: non bleeding. 2. Combination A was significantly more effective than other combinations in bleeding and removal of tissue in both macroscopic and microscopic observations. 3. Alternating irrigants proved to be more effective and less irritating to the adjacent cutaneous tissue. (author abst.)

- L5 ANSWER 83 OF 152 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED. on STN
- AN 94022297 EMBASE
- DN 1994022297
- TI Hydrogen peroxide in the prevention and treatment of peritoneal carcinomatosis: A feasibility study.
- AU Weiss L.; Elkin G.
- CS Department of Experimental Pathology, Roswell Park Cancer Institute, Buffalo, NY 14263, United States
- SO Regional Cancer Treatment, (1993) 6/2 (98-102). ISSN: 0935-0411 CODEN: RCTRED
- CY Germany
- DT Journal; Article
- FS 016 Cancer
 - 048 Gastroenterology
 - 037 Drug Literature Index
- LA English
- SL English
- The accidental spillage of cancer cells into the peritoneal AB cavity during laparotomy and surgical resection of intra-abdominal cancer, with the subsequent growth of the cells within the cavity contributes to treatment- failure. The cellular inflammatory response to the presence of cancer cells which may cure minimal spillage, or retard the development of malignant ascites and its sequelae, is at least partially mediated through the tumoricidal effects of free radicals. The feasibility of preventing or retarding the development of malignant ascites by local administration of hydrogen peroxide has therefore been tested in mice receiving intraperitoneal injections (IPI) of Ehrlich ascites tumor cells or MC-1 mammary cancer cells, 60 minutes or 3 days prior to the initiation of courses of IPI H2O2. Following one or two, 5-day courses of daily IPI 0.5 ml 1.0 % H2O2, or two 5-day courses of daily IPI of 4 ml 0.125 % H2O2, survival was significantly prolonged compared with controls receiving the vehicle (phosphate buffered saline) only. These results indicate the feasibility of using hydrogen peroxide as a local irrigant in the prevention of peritoneal carcinomatosis due to spillage of cancer cells during surgery.

L5 ANSWER 145 OF 152 CAPLUS COPYRIGHT 2004 ACS on STN.

AN 1960:57546 CAPLUS

DN 54:57546 OREF 54:11230g

TI In vivo effect of some peroxides on the mouse ascites carcinoma of Ehrlich

AU Steckerl, F.; Ofodile, A.; Campbell, R. R.

CS Boston Univ., Boston, MA

SO Experientia (1959), 15, 423-4 CODEN: EXPEAM; ISSN: 0014-4754

DT Journal LA English

AB The survival of mice inoculated with ascites tumor cells was

markedly increased when H2O2 or urea peroxide was injected; the ascites tumors changed to solid

tumors.